

### Description


Small dome sensor housing which can be fitted with a wide choice of sensor options. Supplied with a flying lead for fixing into a wall or architrave or fitted to a standard single gang plate  
Available in a wide range of materials and finishes

### Material

Aluminium, Brushed stainless steel, Polished stainless steel, Lacquered Brass, Powder coated in RAL colours. Any plated finish to match existing electrical hardware (See our leaflet for the range of finishes). Also available in any style to match existing Electrical switchplates (eg screwless etc)

### Mounting

- Housing: 10mm dome with 12mm x M6 thread  
Supplied with locking nut and washer
- Plate mounted: 86mm x 86mm  
fits standard single gang back box
- 38mm x 86mm Architrave plate  
fits standard Architrave back box
- Flying lead: Supplied with a choice of flying lead length  
For fitting to existing plate/ back box  
(eg Light switch plate) use 200mm lead



### Associated Products

Discrete Temperature Sensors  
Thimble Temperature Sensors



### Ordering information

TBS - 01 - 10 - 25

#### Finish

Ref	Finish
01	Brushed Stainless steel
02	Polished Stainless steel
05	Lacquered Brass
07	Powder coated (state RAL colour)
08	White plastic
11	White primer
XX	Match Electrical switchplates (state range and finish)
eg Focus SB Ambassador Polished Nickel	

#### Mounting

Ref	Mounting
01	Button only 200mm lead
02	Button only 2 metre lead
05	Button only 5 metre lead
25	Fitted to Single gang plate finish to match Button
26	Fitted to an Architrave plate finish to match Button

#### Sensor Type

Ref	Sensor	System
01	1.8K3A1	TAC
04	3K3A1	Alerton
10	10K3A1	Trend, Honeywell, Next, Smart
12	10K4A1	Andover, Delta, york
15	20K6A1	Honeywell
20	50K6A1	Priva
30	SAT1	Satchwell
52	PT1000A	Cylon
60	LS Ni1000	Siemens
70	Mitsi	Mitsubishi
72	Daikin	Daikin
80	33K6A3	KNX
XX	Other	Specify when ordering

Example:

TBS- XX - 10 - 25  
Focus SB Morpheus range in Jordan Bronze, Trend sensor, fitted to Single gang plate

**Bold = Standard item available from stock**